Professional 95 litre wet/dry vacuum cleaner with high suction power

The VIPER LSU 395 is a wet/dry professional vacuum cleaner. It is easy to use, robust and has optimal suction power.

LSU product family has a modular design with different tank capacities and motor quantities. Tank capacity for LSU 395 is 95 litres and it has three motors. You can choose stainless steel tank or red plastic tank. It has a drain hose mounted and you can easily empty the tank without taking off the motor. It has large rear wheels and rotating front wheels which makes it light and easy to maneuver. As standard the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.

- Easy to use and service
- · Optimal suction power
- Robust chassis
- Drain hose
- · Large rear wheels and rotating front wheels
- · Cable storage & Accessory storage
- For wet or dry vacuum application



Picture shown may not represent model quoted

Standard equipment

	Included accessories	Ref. no.	Min. required	LSU395-EU	LSU395-UK
Nozzie					
~	DRY PICK-UP TOOL	VA80036	1	•	•
Vac Nozzle V	Vet				
×	PICK-UP TOOL	VA80853	1	•	•
Round Brush	Nozzle				
	DUSTING Ø 38 MM	VA20803	1	•	•
Crevice Nozz	Crevice Nozzle				
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•
Filter					
8	75L ABSORBING DUST FILTER	VA80110	1	•	•
Tube					



Professional 95 litre wet/dry vacuum cleaner with high suction power

Included accessories		Ref. no.	Min. required	LSU395-EU	LSU395-UK
SUCTION	TUBE ASSEMBLY	VA80400	1	•	•
WAND ASS	SEMBLY	VA80711	1	•	•
Model	Model LSU395-EU		95-EU	LSU395-UK	
Ref. no.			5000	0150	50000152
PRODUCT FEATURES					
Recovery emptying hoses			•	•	•
Easy-to-carry handle			•	•	•
Technical specifications		LSU3	95-EU	LSU395-UK	
Vacuum motor type			2-st	age	2-stage
Voltage (V)			220-	-240	220-240
Frequency (Hz)			50-	-60	50-60
IP protection class			×	4	X4

Voltage (V)	220-240	220-240
Frequency (Hz)	50-60	50-60
IP protection class	X4	X4
Rated power (W)	3000	3000
Max. airflow (m³/h - l/min.)	450/7500	450/7500
Vacuum (mm H2O)	2280	2280
Sound pressure level (dB(A))	79	79
Cable length (m)	10/orange	10/orange
Tank capacity (I)	95	95
Length x width x height (cm)	63.4x58.6x112	63.4x58.6x112
Weight (kg)	29.3	29.3

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

Accessories		Ref. no.	Min. required	LSU395-EU	LSU395-UK	
Vac Nozzle V	Vac Nozzle Wet					
~	PICK-UP TOOL	VA80853	1	•	•	
Filter						
9	75L ABSORBING DUST FILTER	VA80110	1	•	•	



Professional 95 litre wet/dry vacuum cleaner with high suction power

	Accessories	Ref. no.	Min. required	LSU395-EU	LSU395-UK
	FILTER WET LSU375/395/CAR275	VA81343	1	0	0
Crevice Nozz	e		,		
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•
Tube					
9	SUCTION TUBE ASSEMBLY	VA80400	1	•	•
7	WAND ASSEMBLY	VA80711	1	•	•
Nozzle					
~	DRY PICK-UP TOOL	VA80036	1	•	•
Squeegee, Bl	ade, Skirt and Splash Guard				
\	BLADE STRIP 38MM	VA86700	1	0	0
Round Brush	Nozzle				
	DUSTING Ø 38 MM	VA20803	1	•	•
Bag					
The	DUST BAG MICROFIBER 60L PACK 10PCS	VA82060-P10	1	0	0
Other					
A	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	1	0	0

